

12.3.138 v.5
1-21-04

?
Subject: Self-monitoring report form

Date: Wed, 21 Jan 2004 14:00:53 -0800

From: "Girard, Arnaud" <Arnaud.Girard@METROKC.GOV>

To: "tdcraig@longfibre.com" <tdcraig@longfibre.com>

Mr. Craig,

Thank you for submitting your self-monitoring report for the 4th Quarter of 2003. Enclosed, please find a King County self-monitoring report form to be used for future submittals. Fee free to call me if you have any questions.

Thank you

<<sm form longview fibre.doc>>

Arnaud Girard

Industrial Waste Program

Phone: (206) 263-3012

Fax: (206) 263-3001

<http://dnr.metrokc.gov/wlr/indwaste/index.htm>

<input type="checkbox"/> sm form longview fibre.doc	Name: sm form longview fibre.doc Type: Microsoft Word Document (application/msword). Encoding: base64
---	--

Mike Anderson
~~Arnaud~~

1-3-05

Do you have this on file?

Leo





King County

Wastewater Treatment Division
Industrial Waste Program
Department of Natural Resources and Parks
130 Nickerson Street, Suite 200
Seattle, WA 98109-1658
206-263-3000
206-263-3001 Fax

December 16, 2003

Jim Mantell
Longview fibre Company
P.O. Box 24867
Seattle, WA 98124

Updated Self-Monitoring Form For: Longview Fibre Company, Permit/DA No.: 631-02

Dear Mr. Mantell:

Enclosed is a new version of the King County Industrial Waste Self-Monitoring Report form. Please start using this form effective immediately with your next report due date.

To make self-monitoring reporting easier for all dischargers and to ensure accurate data entry, the Industrial Waste Program (KCIW) has designed forms based on reporting frequency that are customized to industrial users' permit reporting requirements.

You can print out or download the enclosed form from KCIW's Web pages and also can fill it out by computer. To access the online version, go to <http://dnr.metrokc.gov/wlr/indwaste> and click on the word "Forms" on the left hand navigation column.

A copy of the general rules and detailed instructions for completing this form are enclosed. These instructions are also posted on the Web pages indicated above.

If you have questions or believe that you have special reporting needs, which are not addressed by the new form, please contact me at 206-263-3012.

Sincerely,

Arnaud Girard
Investigator
Industrial Waste Program

selfmonitoringformcoverletter102303.doc



CLEAN WATER - A SOUND INVESTMENT

170214

LFC002612



LONGVIEW FIBRE COMPANY

5901 EAST MARGINAL WAY SOUTH

P.O. BOX 24867

SEATTLE, WASHINGTON 98124

206-762-7170 FAX 206-767-2442

April 10, 2001

Mr. Jeff Bowman
King County Dept. of Natural Resources
Industrial Waste Section
130 Nickerson Street --- Suite 200
Seattle, WA 98109-1658

RE: Authorization of Water Discharge Permit #631

Dear Mr. Bowman:

The following amount of water was discharged in the 1st. quarter (January, February, and March) of 2001.

January	=	3,500 gallons
February	=	2,000 gallons
March	=	1,000 gallons

All water discharged was treated to remove solids and to maintain a pH close to neutral.

We are continuing on a program to get our employees to use less water and, therefore, to allow us to reduce our water discharge. We have reduced the discharge for the past three quarters and this is good for all of us.

The solids removed remain fairly constant at close to 12 tons/month at a 50% consistency.

Sincerely,

Tom Craig
Plant Manager
LFCo -- Seattle

LFC002613

[Fwd: self-monitoring]

Subject: [Fwd: self-monitoring]

Date: Thu, 24 Apr 2003 14:18:25 -0700

From: "Craig, Thomas D" <tdcraig@longfibre.com> **Internal**

To: "Mantell James R." <jrmantell@longfibre.com>

Subject: self-monitoring

Date: Mon, 16 Jul 2001 13:09:06 -0700

From: "Bowman, Jeff" <Jeff.Bowman@METROKC.GOV>

To: "tdcraig@longfibre.com" <tdcraig@longfibre.com>

Tom; After looking at your self-monitoring reports for the last several quarters, I have decided to eliminate the requirement of submitting

quarterly reports for your Discharge Authorization 631. You should still keep a log book of the day and volume of the discharged wastewater and make it available to Industrial Waste during inspections.

Keep a copy of this transmittal for your records and I will keep this in your files. Any Questions...206/263-3071

LFC002614

Subject: self-monitoring

Date: Mon, 16 Jul 2001 13:09:06 -0700

From: "Bowman, Jeff" <Jeff.Bowman@METROK.C.GOV>

To: "tdcraig@longfibre.com" <tdcraig@longfibre.com>

Tom; After looking at your self-monitoring reports for the last several quarters, I have decided to eliminate the requirement of submitting

quarterly reports for your Discharge Authorization 631. You should still keep a log book of the day and volume of the discharged wastewater and make it available to Industrial Waste during inspections.

Keep a copy of this transmittal for your records and I will keep this in your files. Any Questions...206/263-3071

[Fwd: self-monitoring]

Subject: [Fwd: self-monitoring]

Date: Thu, 24 Apr 2003 14:18:25 -0700

From: "Craig, Thomas D" <tdcraig@longfibre.com> Internal

To: "Mantell James R." <jrmantell@longfibre.com>

Subject: self-monitoring

Date: Mon, 16 Jul 2001 13:09:06 -0700

From: "Bowman, Jeff" <Jeff.Bowman@METROKC.GOV>

To: "tdcraig@longfibre.com" <tdcraig@longfibre.com>

Tom; After looking at your self-monitoring reports for the last several quarters, I have decided to eliminate the requirement of submitting

quarterly reports for your Discharge Authorization 631. You should still keep a log book of the day and volume of the discharged wastewater and make it available to Industrial Waste during inspections.

Keep a copy of this transmittal for your records and I will keep this in your files. Any Questions...206/263-3071

LFC002616